THE BELL SYSTEM

Technical Journal

DEVOTED TO THE SCIENTIFIC AND ENGINEERING ASPECTS OF ELECTRICAL COMMUNICATION

ADVISORY BOARD

H. G. MEHLHOUSE J. B. FISK
A. S. ALSTON

EDITORIAL COMMITTEE

W. E. DANIELSON, *Chairman*
F. T. ANDREWS, JR. A. E. JOEL
E. E. DAVID B. E. STRASSER
W. O. FLECKENSTEIN M. TANENBAUM
W. S. HAYWARD, JR. D. G. THOMAS
C. W. HOOVER, JR. C. R. WILLIAMSON

EDITORIAL STAFF

G. E. SCHINDLER, JR., *Editor*
W. V. RUCH, *Assistant Editor*
H. M. PURVIANCE, *Production and Illustrations*
F. J. SCHWETJE, *Circulation*

Index and Contents

VOLUME 48

1969

AMERICAN TELEPHONE AND TELEGRAPH COMPANY
NEW YORK

LIST OF ISSUES IN VOLUME 48

No. 1, January	Pages	1–320
No. 2, February		321–499
No. 3, March		501–818
No. 4, April		819–1099
No. 5, May–June		1101–1562
No. 6, July–August		1563–2058
No. 7, September		2059–2606
No. 8, October		2607–2908
No. 9, November		2909–3138
No. 10, December		3139–3448

Index iii
Contents xxix

NOTE: Words in parentheses precede words not in parentheses on the same line. For example,

Arrays (Directional)

should be read Directional Arrays. In subdivided subjects, words in parentheses precede the section heading and the words not in parentheses on the same line. For example,

Binary
Shift Registers (Tapped)

should be read Tapped Binary Shift Registers.

Index to Volume 48

A

Aaron, M. R. 1167–95
ACOUSTIC WAVES 1129–65
ACTIVE NETWORKS 275–316
Adaptive Equalization of Highly Dispersive Channels for Data Transmission 55–70
ADAPTIVE EQUALIZER (CONTINUOUSLY) 1865–84
ADDERS (TWO'S-COMPLEMENT) 2999–3020
Adding Two Information Symbols to Certain Nonbinary BCH Codes and Some Applications 2405–24
ADDITIVE WHITE GAUSSIAN NOISE CHANNEL 71–86
Administration and Maintenance Plan (No. 2 ESS) 2765–816
Aiken, R. T. 1129–65
Albert, W. G. 993–1040
ALGEBRAIC CODING 691–728
ALGORITHM
(Chirp z-Transform) 1249–92
(Convergent) 3135–8
(Training) 55–70
ALGORITHMS 201–7, 1101–13
(Work-Scheduling) 2963–74
AMPLIFIER DESIGN (BROADBAND 300 MHz IF) 1665–86
AMPLIFIERS
(Common) 1853–64
(IF) 1687–702
(Power) 841–88
Amplitude and Phase Modulations in Resistive Diode Mixers 1967–98
Amplitude Distributions of Telephone Channel Noise and a Model for Impulse Noise 3243–63
AMPLITUDE-TO-PHASE CONVERSION 541–614
ANALOG DATA FROM A BOUNDED SOURCE SPACE (COMMUNICATION OF) 3139–72
ANALOG-TO-PCM ENCODING 321–43
Analysis of Time Usage in Bell System Business Offices 2493–506
Anderson, C. D. 1853–64
Anderson, R. E. 953–81
Andrews, R. J. 2713–64
ANGLE-MODULATED SYSTEMS 2333–58
ANISOTROPIC FERROMAGNETIC THIN FILMS 3287–335
ANTENNA
Arrays (Directional) 3409–26
For Short-Hop Microwave Radio Systems (Packaged) 1605–22
Pointing (Radio-Relay) 3373–408
ANTENNAS 1577–604, 1767–87
(Horn-Reflector) 1383–404
With Dielectric Plugs (Resonances in Waveguide) 2305–24
APERTURE (OUTPUT-COUPLING) 1919–36
APOLLO UNIFIED S-BAND SYSTEM 233–48
Apparatus and Equipment (No. 2 ESS) 2817–64
Apparent Increase in Noise Level When Television Pictures Are Frame-Repeated 527–40
The Application of Delta Modulation to Analog-to-PCM Encoding 321–43
Approximate Large-Signal Analysis of IMPATT Oscillators 383–96
APPROXIMATION
Of Linear Systems (Uniform) 209–31
(Validity of Statistical Linearization) 2529–43
ARGON ION LASERS 1405–19
ARRAY
Camera Tubes and X-Ray Imaging (Diode) 345–82
Targets (Diode) 1481–528
ARRAYS
(Directional Antenna) 3409–26
(Phased) 2305–24
ASSEMBLER PROGRAM SWAP (SWITCHING) 2865–96

ASYMMETRIC CYLINDRICAL CONFOCAL LASER RESONATOR 1919–36
ATTENUATION 1421–44, 1563–604, 1727–43
By Rainfall at 18.5 GHz 1767–87
Of Microwaves by Intense Rain (Statistics on) 2949–62
(Sun Tracker Measurements of) 1383–404
AUTOMATIC TRANSVERSAL FILTERS 1865–84

B

BACKWARD PROPAGATING ERRORS 1957–66
BANACH SPACES 209–31
BANDPASS LIMITERS (LIMITER-PHASE DETECTOR-FILTER CASCADE) 233–48
BANDWIDTH
Expansion 1727–43
Reduction 2545–54
Barton, M. E. 2865–96
Basic and Regulating Repeaters (L-4 System) 841–88
Bates, C. P. 2259–80
BCH CODES (ADDING TWO INFORMATION SYMBOLS TO CERTAIN NONBINARY) 2405–24
BEAMS (GAUSSIAN LIGHT) 1445–57
BEAM WAVEGUIDES 1909–18
BELL SYSTEM BUSINESS OFFICES (TIME USAGE IN) 2493–506
BENDS 2161–88, 2259–80
Bends in Optical Dielectric Guides 2103–32
Beuscher, H. J. 2765–816
BIAS OF SIGNAL PARAMETER ESTIMATORS (BOUNDS ON THE) 2023–30
BINARY
Codes 3113–30
Shift Registers (Tapped) 321–43
Bishop, J. D. 1041–64
BIT RATES 659–74
Blecher, F. H. 821–39
BLOCK
Coding 691–728
Length 691–728
Quantization 3059–74
Blue, J. L. 383–96
BODE NETWORKS 889–952
BODE'S CONSTANT-RESISTANCE LATTICE SYNTHESIS 637–58
Bodtmann, W. F. 1577–604, 1665–726
Bogner, R. E. 501–10
BOOLEAN EXPRESSIONS 1957–66
BOSE-CHAUDHURI-HOCQUENGHEM CODES 729–42
Bosworth, R. H. 1459–79
BOUNDED SOURCE SPACE (COMMUNICATION OF ANALOG DATA FROM A) 3139–72
BOUNDS OF A PM WAVE (SPECTRAL DENSITY) 769–812
Bounds on the Bias of Signal Parameter Estimators 2023–30
Boyd, R. C. 821–39
Brady, P. T. 2445–72
BRIDGING MEASUREMENTS 1313–38
BRIGHTNESS
Errors 1537–53
Temperature 1383–404
BROADBAND
Negative-Resistance Oscillator Circuits 1937–55
Varactor Upconverters (Design of Efficient) 1623–49
Variolossers (Design of Efficient) 1687–702
Broadband 300 MHz IF Amplifier Design 1665–86
Brown, E. F. 1537–53
Browne, T. E. 443–76, 2619–68
BRUNE METHOD 637–58
Buchner, M. M., Jr., 1219–47, 3113–30
BUFFERS 615–36
Bunin, B. J. 3059–74
Burckhardt, C. B. 1529–35
BUSINESS OFFICES (TIME USAGE IN BELL SYSTEM) 2493–506
BUSY-HOUR TRAFFIC 2607–18

C

CABLE
And Apparatus (Coaxial) 1065–93
Systems (Coaxial) 821–39, 889–981, 983–1093

Systems (Overload Stability Problem in Submarine) 1853–64
Systems Preamplifiers (Coaxial) 841–88
Calculated Quantizing Noise of Single-Integration Delta-Modulation Coders 2359–89
CALIBRATION
Data (Rain Gauge) 1757–66
Transmission Measuring Sets 1313–38
CALL
Processing Plan (Service Features and) 2713–64
Programs 2607–18
Stores 2619–68
CAMERA
Tube 1529–35
Tube (Silicon Diode Array) 1481–528
Tubes and X-Ray Imaging (Diode Array) 345–82
CAMERAS (COLOR TELEVISION) 1885–907
Candy, J. C. 1459–79
CAPACITANCE GAUGES 1757–66
CARD WRITERS 2817–64
CARRIER PHASE (SINUSOIDAL) 769–812
CASCADE BANDPASS LIMITERS (LIMITER-PHASE DETECTOR-FILTER) 233–48
CENTIMETER AND MILLIMETER WAVES 2949–62
CENTRAL PROCESSING UNIT 2619–68
CENTREX SERVICE 443–96
Chai, S. Y. 1885–907
Chang, H. Y. 1957–66
CHANNEL
(Gaussian) 3075–89
Noise (Amplitude Distributions of Telephone) 3243–63
With Noisy Feedback (Discrete-Time Gaussian) 3173–86
CHANNELS
(Adaptive Equalization of Highly Dispersive) 55–70
(Determinability of Classes of Noisy) 3265–85
(Discrete Memoryless) 691–728
(General-Purpose Communication) 1865–84
Chaplin, N. J. 983–92
Chen, Mrs. H. 2493–506
Chester, A. N. 345–82
CHI-SQUARE DISTRIBUTION (COMPUTATION OF THE NONCENTRAL) 201–07
Chinnock, E. L. 511–26
The Chirp z-Transform Algorithm and Its Application 1249–92
CHRISTIANSEN FILTERS 1885–907
CIRCUIT
Analysis 1–54, 1293–311
Design by Singular Imbedding (Computer-Aided) 275–316
(Iris Wafer) 143–62
Mistuning (Tank) 541–614
Packs 2817–64
CIRCUITS
(Broadband Negative-Resistance Oscillator) 1937–55
(DC Switching) 1–34
(Dielectric Loss in Integrated Microwave) 2325–32
(Equivalent) 1967–98
(Logical) 1957–66
(Microwave) 1937–55
(Monolithic) 2059–69
(Parametric) 2189–219
(Service Test) 2669–712
(Sputtered Glass Waveguide for Integrated Optical) 3431–34
(Trunk) 2669–712
(Uniform Synthesis of Sequential) 1115–27
CIRCULAR ELECTRIC MODES 3217–32
Circular-Harmonic Computer Analysis of Rectangular Dielectric Waveguides 2133–60
CLASSES OF NOISY CHANNELS (DETERMINABILITY OF) 3265–85
CLICK SEQUENCES 2999–3020
CLOCKS 615–36
COAX 20 1065–93
Coaxial Cable and Apparatus (L-4 System) 1065–93

COAXIAL
Cable Systems 821–39, 889–981, 983–1093
Cable Systems Preamplifiers 841–88
System (L-4) 821–39, 841–981, 983–1093
COAXIALS (SERRATED-SEAM) 1065–93
CO-CHANNEL INTERFERENCE 743–67, 2333–58
CODE MODULATION (DIFFERENTIAL PULSE) 3059–74
CODER
For Television (Sliding-Scale Direct-Feedback PCM) 1537–53
For Television Transmission (Companded One-Bit) 1459–79
CODES
(Adding Two Information Symbols to Certain Nonbinary BCH) 2405–24
(Bose-Chaudhuri-Hocquenghem) 729–42
(Convolutional Reed-Solomon) 729–42
(Equivalence of Certain Harper) 3113–30
(Error-Correcting) 729–42, 1219–47
(Orthogonal) 71–86
(Significant-Bit Packed) 1219–47
CODING
(Block) 691–728
Delay (Finite and Infinite) 3139–72
(Digital) 2555–82
(Frame-Run) 2545–54
(Multilevel) 3021–30
Noise (Communications Systems Which Minimize) 3091–112
(Sequential) 691–728
COHERENT
Detection 413–42
Phase-Shift Keyed Systems 743–67
COLOR
Picture Telephone Systems 1885–907
Television Cameras 1885–907
COMMON AMPLIFIERS 1853–64
COMMON-CARRIER APPLICATIONS 1563–76
COMMUNICATION
Channels (General-Purpose) 1865–84
(Digital) 3173–86
Theory 413–42, 615–36, 691–767, 769–812, 1167–95, 1197–218, 1219–47, 1999–2030
On Communication of Analog Data from a Bounded Source Space 3139–72
Communication Systems Which Minimize Coding Noise 3091–112
COMMUNICATIONS
(Digital) 71–86
A Companded One-Bit Coder for Television Transmission 1459–79
COMPANDING 1459–79
COMPLEX TIME FUNCTION 501–10
COMPRESSION (TIME) 249–54
Computation of the Noncentral Chi-Square Distribution 201–7
COMPUTER
Analysis (Circular-Harmonic) 2133–60
Memories 659–74
Modeling 383–96
Programs 201–7, 1957–66
Simulation 87–142, 1167–95, 1909–18
Time 383–96
Computer-Aided Circuit Design by Singular Imbedding 275–316
COMPUTER-OPERATED
Devices 1313–38
Transmission Measuring Set (50 Hz-250 MHz) 1339–81
Computer Study of Quantizer Output Spectra 2391–403
COMPUTERS 1745–56
CONDITIONAL PICTURE-ELEMENT REPLENISHMENT 2545–54
On Conditions Under Which It Is Possible to Synchronize Digital Transmission Systems 1999–2022
CONDUCTION GAS LENS (QUADRATIC) 2281–303
CONFOCAL LASER RESONATOR (ASYMMETRIC CYLINDRICAL) 1919–36
CONFORMAL MAPPING 1421–44
CONSTANT (PROPAGATION) 1421–44, 2071–160
CONSTANT-RESISTANCE LATTICE SYNTHESIS (BODE'S) 637–58

CONTACTS (CUSTOMER) 2493–506
A Continuously Adaptive Equalizer for General-Purpose Communication Channels 1865–84
CONTOURING 1537–53
CONTOUR MASKING 2555–82
CONTROL
In Electromagnetic Wave Guidance (Directional) 2161–88
(Stored Program) 443–76
Unit System 2619–68
Units 2607–18
CONTROL SYSTEMS
(Jump Criteria of Nonlinear) 2529–43
(Linear Time-Varying Dynamic) 209–31
Control Unit System (No. 2 ESS) 2619–68
CONTROLLED INTERFERENCE WITH GEOSTATIONARY SATELLITES 3373–408
CONVECTION (THERMAL) 2281–303
CONVERGENT ALGORITHM 3135–8
CONVERSATION (TWO-WAY) 2445–72
CONVERSION
(Amplitude-To-Phase) 541–614
(Frequency) 1967–98
(Mode) 2103–32, 2161–88, 3187–215, 3217–32
CONVERTERS (POWER) 1041–64
CONVOLUTION TECHNIQUES 1249–92
Convolutional Reed-Solomon Codes 729–42
Cooper, R. B. 675–89
Correction Concerning Reflecting Objects in Coherent Illumination 817
CORRECTION OF MISALIGNED WAVEGUIDES (STEP) 1909–18
CORRELATION
Function of Two Random Variables (Extended) 3409–26
Statistics 1197–218
COUNTERS (UP-DOWN) 321–43
Coupled Wave Theory For Thick Hologram Gratings 2909–47
COUPLED WAVES (PERIODICALLY) 2189–219
COUPLER FOR INTEGRATED OPTICS (DIRECTIONAL) 2071–102
COUPLING
(Intermodal) 2259–80
(Mode) 2189–219
Crawford, A. B. 1605–22
CRITERIA
(Error) 209–31
Of Nonlinear Control Systems (Jump) 2529–43
CRITERION
(Mean-Square Error) 321–43
(Mean-Square Error Distortion) 3059–74
CROSS SCATTERING 1445–57
CROSSTALK 511–26, 3337–72
Crowell, M. H. 1481–528
Crue, C. R. 953–81
CURVED WAVEGUIDES (JUNCTION BETWEEN STRAIGHT AND) 2259–80
CUSTOMER
Contacts 2493–506
Loop Plant (Transmission Characteristics of) 3337–72
Cutoff Region of a Rectangular Waveguide with Losses, Its Properties and Uses 2221–58
CYCLIC ORDER (QUEUES SERVED IN) 675–89
CYCLING (ORDER) 2619–68
CYLINDRICAL
Confocal Laser Resonator (Asymmetric) 1919–36
Magnetic Domains 3287–335
Waveguides 2161–88

D

Daly, J. C. 1909–18
Danielmeyer, H. G. 1405–19
DATA
From a Bounded Source Space (Communication of Analog) 3139–72
(Input-Output) 1101–13
(Rain Gauge Calibration) 1757–66
Transmission 55–70, 2425–44
Data Transmission Error Probabilities in the Presence of Low-Frequency Removal and Noise 255–73

DC
Equations of Nonlinear Networks 1–34
Networks (Linear) 275–316
Switching Circuits 1–34
Transistor Networks (Nonlinear) 1293–311
DELAY
(Finite and Infinite Coding) 3139–72
(Insertion) 1339–81
Lines 1445–57
Lines (Ultrasonic) 659–74
DELAY-LINE FILTER (TAPPED) 55–70
DELAYS 615–36
(Time) 2975–97
(Transmission) 1999–2022
DELTA MODULATION 1459–79
(Application of) 321–43
(Calculated Quantizing Noise of Single-Integration) 2359–89
Granular Quantizing Noise 1197–218
(Response of) 1167–95
Delta Modulation Granular Quantizing Noise 1197–218
DEMODULATORS 233–48
A Dense Network for Rapid Measurement of Rainfall Rate 1745–56
DENSITY
Bounds of a PM Wave (Spectral) 769–812
Spectra (Power) 1197–218
Derosier, R. M. 3217–32
Design of Dither Waveforms for Quantized Visual Signals 2555–82
Design of Efficient Broadband Varactor Upconverters 1623–49
Design of Efficient Broadband Variolossers 1687–702
DETECTION
(Coherent) 413–42
(Differential) 413–42
(Multiplex *Touch-Tone*®) 249–54
DETECTOR-FILTER CASCADE BANDPASS LIMITERS (LIMITER-PHASE) 233–48
Determinability of Classes of Noisy Channels 3265–85
DEVIATORS (FREQUENCY) 143–62, 1937–55
DIAGNOSTIC PROGRAMS 2765–816
DIELECTRIC
Constant 1421–44
Guides (Bends in Optical) 2103–32
Loss in Integrated Microwave Circuits 2325–32
Mirrors (Scattering From) 511–26
Plugs (Resonances in Waveguide Antennas with) 2305–24
Rectangular Waveguide 2071–102
Slab Waveguide (Surface Imperfections of a) 3187–215
Substrates 1421–44
Waveguide (Diameter Changes of a Round) 3217–32
Waveguides 2221–58
Waveguides (Radiation Losses of) 3233–42
Waveguides (Rectangular) 2133–60
Dielectric Loss in Integrated Microwave Circuits 2325–32
Dielectric Rectangular Waveguide and Directional Coupler for Integrated Optics 2071–102
DIFFERENTIAL
Detection 413–42
Equations 1101–13
Pulse Code Modulation 3059–74
Quantizer for Television (Digital) 2583–99
DIFFRACTION
Efficiency 2909–47
(Huygens-Fresnel) 1885–907
Losses 1919–36
DIGITAL
Coding 2555–82
Communication 3173–86
Communications 71–86
Differential Quantizer for Television 2583–99
Fault Simulation 1957–66
Filters (Overflow Oscillations in) 2999–3020
Filters (Transversal) 321–43
Frequency Modulation (Rate Optimization for) 3021–30
Networks (Synchronizing) 615–36

PM Spectra by Transform Techniques 397–412
Storage Requirements 3091–112
Transmission Networks (Synchronizing) 2975–97
Transmission Systems 1999–2022
On Digital Communication Over a Discrete-Time Gaussian Channel with Noisy Feedback 3173–86
Digital Differential Quantizer for Television 2583–99
Digital PM Spectra by Transform Techniques 397–412
DIGITALLY SIMULATING SHORTED INPUT DIODE FAILURES 1957–66
Digrindakis, J. 2669–712
DIODE
Array Camera Tube (Silicon) 1481–528
Array Camera Tubes and X-Ray Imaging 345–82
Array Targets 1481–528
Failures (Digitally Simulating Shorted Input) 1957–66
Mixers (Resistive) 1967–98
Mixers (Schottky-Barrier) 1651–63
Oscillator (Millimeter-Wave IMPATT) 143–62
Diode Array Camera Tubes and X-Ray Imaging 345–82
DIODES 983–92
(Schottky-Barrier) 1967–98
DIRECT-FEEDBACK PCM CODER FOR TELEVISION (SLIDING-SCALE) 1537–53
DIRECTIONAL
Antenna Arrays 3409–26
Control in Electromagnetic Wave Guidance 2161–88
Coupler for Integrated Optics 2071–102
DISCRETE MEMORYLESS CHANNELS 691–728
DISCRETE-TIME
Gaussian Channel with Noisy Feedback 3173–86
Random Processes 3091–112
DISCRIMINATOR (IDEAL) 3021–30
DISPERSIVE CHANNELS (ADAPTIVE EQUALIZATION OF HIGHLY) 55–70
DISTORTION
Criterion (Mean-Square Error) 3059–74
Function (Power Spectrum of the Wall) 3233–42
(Linear) 1865–84
(Minimum) 3139–72
(Transmission) 3075–89
DISTRIBUTION
(Angular Power) 511–26
(Computation of the Noncentral Chi-Square) 201–7
(Temperature) 2281–303
DISTRIBUTIONS
(Exponential) 3243–63
Of Telephone Channel Noise (Amplitude) 3243–63
DITHER
Waveforms 2583–99
Waveforms for Quantized Visual Signals (Design of) 2555–82
DIVERSITY RECEPTION 3409–26
Dodson, G. A. 983–92
DOMAIN
Propagation 3287–335
Size 3287–335
(Synthesis of Pulse-Shaping Networks in the Time) 2425–44
DOUBLE FOURIER TRANSFORMS 397–412
DOWNCONVERTER (LOW-NOISE RECEIVING) 1651–63
Dragone, C. 1967–98
Driscoll, J. J. 2713–64
Duvall, G. H. 1065–93
DYNAMIC
Control Systems (Linear Time-Varying) 209–31
Response of Nonlinear Transistor Networks 35–54

E

Earl, H. E. 511–26
Ebert, P. M. 729–42, 2999–3020
ECHO 821–39
Eigenmodes of an Asymmetric Cylindrical Confocal Laser Resonator with a

Single Output-Coupling Aperture 1919–36
ELECTRIC MODES (CIRCULAR) 3217–32
ELECTROMAGNETIC WAVE GUIDANCE (DIRECTIONAL CONTROL IN) 2161–88
ELEMENTS (RADIATING) 2305–24
ENCODING 2583–99
(Analog-To-PCM) 321–43
System (Video) 2545–54
Enloe, L. H. 817, 1529–35, 2333–58
EQUALIZATION OF HIGHLY DISPERSIVE CHANNELS (ADAPTIVE) 55–70
EQUALIZER (CONTINUOUSLY ADAPTIVE) 1865–84
The Equalizer Remote-Control System (L-4 System) 953–81
EQUALIZERS (MEAN-SQUARE) 1865–84
Equalizing and Main Station Repeaters (L-4 System) 889–952
EQUATION (SOLUTIONS OF FOKKER-PLANCK) 2031–51
EQUATIONS
(Differential) 1101–13
(Field) 2103–32
(Matrix) 1919–36
Of Nonlinear Networks (DC) 1–34
(Solving Nonlinear Network) 3135–8
Equivalence of Certain Harper Codes 3113–30
EQUIVALENT CIRCUITS 1967–98
ERROR
(Average Numerical) 3113–30
Criteria 209–31
Criterion (Mean-Square) 321–43
Distortion Criterion (Mean-Square) 3059–74
(Mean-Square) 3075–89
Performance (PSK) 413–42
Probabilities (Data Transmission) 255–73
Probability 3173–86
(Quantization and Transmission) 1219–47
Using a Repeat-Request Strategy (Probability of) 71–86
ERROR-CORRECTING CODES 729–42, 1219–47, 2405–24
Error Rate Considerations for Coherent Phase-Shift Keyed Systems with Co-Channel Interference 743–67
ERRORS
(Average System) 1219–47
(Backward Propagating) 1957–66
(Brightness) 1537–53
ESS
(New Time-Division Switch Units for No. 101) 443–76
(No. 1) 2963–74
(No. 2) 2607–2896
4A Switch Unit (No. 101) 477–96
ESTIMATORS (BOUNDS ON THE BIAS OF SIGNAL PARAMETER) 2023–30
Evans, J. B., Jr., 993–1040
Evans, J. G. 1313–38
EXPANSION (BANDWIDTH) 1727–43
Experimental Simulation of a Multiple Beam Optical Waveguide 1445–57
EXPONENTIAL DISTRIBUTIONS 3243–63
An Extended Correlation Function of Two Random Variables Applied to Mobile Radio Transmission 3423–40
Extension of Bode's Constant-Resistance Lattice Synthesis of Transfer Impedance Function 637–58

F

FACTORIZATION OF ONE-VARIABLE POLYNOMIAL MATRIX 163–200
FADING 1129–65
(Selective) 1767–87
FAILURES (DIGITALLY SIMULATING SHORTED INPUT DIODE) 1957–66
Falconer, D. D. 691–728
FAULT
Location (Remote) 889–952
Simulation (Digital) 1957–66
FEEDBACK (DISCRETE-TIME GAUSSIAN CHANNEL WITH NOISY) 3173–86
Fennick, J. H. 3243–63
FERREEDS 2669–712
FERRODS 2669–712
Fessler, G. E. 2765–816
FIBER OPTIC 3217–32

FIELD
Equations 2103–32
Intensity Plots 2133–60
Results 821–39
A 50 Hz-250 MHz Computer-Operated Transmission Measuring Set 1339–81
FILM
Circuits (Thin) 3431–34
Mode-Selection Filters (Thin Metal) 1405–19
FILMS (ANISOTROPIC FERROMAGNETIC THIN) 3287–335
FILTER
Subroutine (Sampling) 501–10
(Tapped Delay-Line) 55–70
FILTERS
(Automatic Transversal) 1865–84
(Christiansen) 1885–907
(Frequency Sampling) 501–10
(High-Pass) 255–73
(Low-Pass) 1623–49
(Optical) 1885–907
(Overflow Oscillations in Digital) 2999–3020
(Thin Metal Film Mode-Selection) 1405–19
(Transversal Digital) 321–43
(Video) 233–48
FINITE
And Infinite Coding Delay 3139–72
Signal-To-Noise Ratio 3173–86
Fleischman, J. S. 1167–95
FM WAVES (NOISE-MODULATED) 87–142
FOKKER-PLANCK EQUATION (SOLUTIONS OF) 2031–51
Foreword (L-4 System) 819–20
Forys, L. J. 3265–85
FOURIER
Transform (Fast) 1249–92
Transforms 87–142, 1197–218
Transforms (Double) 397–412
FRAME-REPEATED 527–40
FRAME-RUN CODING 2545–54
FRAMES (EQUIPMENT) 2817–64
Freeny, Mrs. A. E. 1757–66, 1789–851
Freimanis, L. 2669–712
FREQUENCIES ABOVE 10 GHz 1563–76
FREQUENCY
Analysis (High-Resolution Narrowband) 1249–92
Characteristics (Measuring) 1313–38
Conversion 1967–98
Deviators 143–62, 1937–55
Modulation 143–62
Modulation (Rate Optimization for Digital) 3021–30
Sampling Filters 501–10
Spectrum Conservation 1727–43
Frequency Modulation of a Millimeter-Wave IMPATT Diode Oscillator and Related Harmonic Generation Effects 143–62
Frequency Sampling Filters—Hilbert Transformers and Resonators 501–10
FREQUENCY-SHIFT KEYING 3021–30
FRESNEL NUMBERS 1919–36
Fritsch, C. A. 2281–303
FUNCTION
(Complex Time) 501–10
(Modulation Transfer) 1885–907
Of Two Random Variables (Extended Correlation) 3409–26
(Power Spectrum of the Wall Distortion) 3233–42
(Transfer Impedance) 637–58
FUNCTIONS
For Gaussian Markov Processes (Rate-Distortion) 3059–74
(Rate-Distortion) 3075–89

G

Gabbe, J. D. 1789–851
Garrison, J. L. 841–88
GAS LENS (QUADRATIC CONDUCTION) 2281–303
GAUGE CALIBRATION DATA (RAIN) 1757–66
GAUGES
(Capacitance) 1757–66
(Rain) 1745–56, 1767–87, 1789–851
GAUSSIAN
Channel 3075–89

Channel with Noisy Feedback (Discrete-Time) 3173–86
Light Beams 1445–57
Markov Processes (Rate-Distortion Functions for) 3059–74
Noise 255–73, 769–812, 2391–403
Noise and Interference 413–42
Noise Channel (Additive White) 71–86
Noise (Random) 743–67
Processes (Power Spectrum of Hard-Limited) 3031–57
Signals 1167–95
Geldart, W. J. 1339–81
GENERAL-PURPOSE COMMUNICATION CHANNELS 1865–84
GENERATING ON-OFF SPEECH PATTERNS (MODEL FOR) 2445–72
Generation and Accumulation of Timing Noise in PCM Systems—an Experimental and Theoretical Study 541–614
GENERATORS (THERMOELECTRIC) 1577–604
GEOMETRIC OPTICS 2281–303
GEOSTATIONARY SATELLITES (CONTROLLED INTERFERENCE WITH) 3373–408
Gersho, A. 55–70, 3135–8
Gilbert, E. N. 2473–92
Glance, B. 1703–26
GLASS
(Optical) 1885–907
Waveguide for Integrated Optical Circuits (Sputtered) 3431–34
Gloge, D. 511–26, 1445–57
Goell, J. E. 2133–60, 3445–8
Goodman, D. J. 321–43, 1197–218
Gopinath, B. 1101–13
GRANULAR
Noise 1537–53, 2359–89
Quantizing Noise (Delta Modulation) 1197–218
GRATINGS (COUPLED-WAVE THEORY FOR THICK HOLOGRAM) 2909–47
GRAY CODE 3113–30
Gresh, P. A. 3337–85
GUIDANCE (DIRECTIONAL CONTROL IN ELECTROMAGNETIC WAVE) 2161–88
GUIDES (BENDS IN OPTICAL DIELECTRIC) 2103–32
Guilfoyle, F. E. 1665–86

H

Haley, T. J. 993–1040
Hall, M. H. 3031–57
Hallenbeck, F. J. 821–39
Haller, N. M. 2865–96
HARD-LIMITED GAUSSIAN PROCESSES (POWER SPECTRUM OF) 3031–57
HARMONIC-GENERATION EFFECTS (RELATED) 143–62
HARPER CODES (EQUIVALENCE OF CERTAIN) 3113–30
Haynie, G. D. 1339–81
HE-NE LASERS 1445–57
Heffes, H. 209–31
Herndon, J. A. 2713–64
Herr, F. J. 821–39
Heterodyne Scanning System for Hologram Transmission 2507–27
HIGHLY DISPERSIVE CHANNELS (ADAPTIVE EQUALIZATION OF) 55–70
HIGH-PASS FILTERS 255–73
High-Power Single-Frequency Lasers Using Thin Metal Film Mode-Selection Filters 1405–19
HIGH-RESOLUTION NARROWBAND FREQUENCY ANALYSIS 1249–92
HILBERT TRANSFORMERS AND RESONATORS 501–10
Hofmann, H. R. 2669–712
Hogg, D. C. 2949–62
HOLOGRAM
Gratings (Coupled-Wave Theory for Thick) 2909–47
Transmission (Heterodyne Scanning System for) 2507–27
HOLOGRAMS (TELEVISION TRANSMISSION OF) 1529–35
HORN-REFLECTOR ANTENNAS 1383–404
Huffman, D. W. 2765–816
HUYGENS-FRESNEL DIFFRACTION 1885–907

HYBRID
Circuits 2325–32
Coding Scheme 691–728
Integrated Circuits (Microwave and Millimeter Wave) 1703–26
A Hybrid Coding Scheme for Discrete Memoryless Channels 691–728

I

IDEAL
Discriminator 3021–30
Limiter 3031–57
On the Identification of Linear Time-Invariant Systems from Input-Output Data 1101–13
IDENTIFICATION PROBLEMS 3265–85
IDLER RESONANCE 143–62
IF
Amplifier Design (Broadband 300 MHz) 1665–86
Amplifiers 1687–702
IMAGES (THREE-DIMENSIONAL) 2507–27
IMAGING (DIODE ARRAY CAMERA TUBES AND X-RAY) 345–82
Imaging System Exhibiting Wavelength-Dependent Resolution 1885–907
IMBEDDED MARKOV CHAINS 675–89
IMBEDDING (COMPUTER-AIDED CIRCUIT DESIGN BY SINGULAR) 275–316
IMPATT
Diode Oscillator (Millimeter-Wave) 143–62
Oscillators 1703–26
Oscillators (Approximate Large-Signal Analysis of) 383–96
IMPEDANCE 1313–81, 1421–44
Function (Transfer) 637–58
Improved Relations Describing Directional Control in Electromagnetic Wave Guidance 2161–88
IMPULSE NOISE (MODEL FOR) 3243–63
INFINITE CODING DELAY (FINITE AND) 3139–72
INJECTION-LOCKED OSCILLATORS 1937–55
INPUT DIODE FAILURES (DIGITALLY SIMULATING SHORTED) 1957–66
INPUT-OUTPUT DATA 1101–13
INSERTION
Delay 1339–81
Loss Measuring Set 1313–38
INTEGRATED
Microwave Circuits (Dielectric Loss in) 2325–32
Optical Circuits (Sputtered Glass Waveguide for) 3431–34
Optics 2059–69
Optics (Directional Coupler for) 2071–102
TEGRATED CIRCUITS 659–74
IN(Microstrip Lines for Microwave) 1421–44
(Microwave and Millimeter Wave Hybrid) 1703–26
Integrated Optics: An Introduction 2059–69
INTENSE RAIN (STATISTICS ON ATTENUATION OF MICROWAVES BY) 2949–62
INTENSITY PLOTS (FIELD) 2133–60
Interchannel Interference Considerations in Angle-Modulated Systems 2333–58
INTERCONNECTIONS 2817–64
INTERFERENCE
(Co-Channel) 743–67
(Gaussian Noise and) 413–42
In a Dense Radio Network 1727–43
(Interchannel) 2333–58
(Intersymbol) 255–73, 2425–44
With Geostationary Satellites (Controlled) 3373–408
Interference in a Dense Radio Network 1727–43
Intermodal Coupling at the Junction Between Straight and Curved Waveguides 2259–80
INTERMODULATION 1853–64
INTERSYMBOL INTERFERENCE 255–73, 2425–44
INTERSYMBOL INTERFERENCE (MEAN-SQUARE) 55–70
ION LASERS (ARGON) 1405–19
IRIS WAFER CIRCUIT 143–62
ITERATION 3135–8
ITERATIVE METHODS 675–89
Iwersen, J. E. 2359–89

J

Jacobs, R. M. 983–92
Jump Criteria of Nonlinear Control Systems and the Validity of Statistical Linearization Approximation 2529–43
JUNCTION BETWEEN STRAIGHT AND CURVED WAVEGUIDES 2259–80

K

Kelcourse, F. C. 889–952
Keller, H. E. 1745–56
Kennedy, P. J. 2765–816
KEYING
(Frequency-Shift) 3021–30
(Phase-Shift) 413–42
KEY TELEPHONE SYSTEMS (EXPLORATORY) 249–54
Kibler, L. U. 1651–63, 2221–58
Klie, R. H. 819–20
Kogelnik, H. 2909–47
Kozemchak, E. B. 275–316
Kruskal, J. B. 2963–74
Kurokawa, K. 1937–55
Kyong, S. H. 2529–43

L

L-4 COAXIAL SYSTEM 819–39, 841–981, 983–1093
The L-4 Coaxial System 821–39
Labbe, L. P. 841–88
LABORATORY SCALE 1339–81
Labuda, E. F. 1481–528
LAPLACE-STIELTJES TRANSFORMS 675–89
LARGE-SIGNAL ANALYSIS OF IMPATT OSCILLATORS (APPROXIMATE) 383–96
Larsen, A. B. 2507–27
LASER RESONATOR (ASYMMETRIC CYLINDRICAL CONFOCAL) 1919–36
LASERS 511–26, 2059–69
(Argon Ion) 1405–19
(He-Ne) 1445–57
(High-Power Single-Frequency) 1405–19
(Neodymium-Doped YAG) 1405–19
LATTICE SYNTHESIS (BODE'S CONSTANT-RESISTANCE) 637–58
LAYOUTS (OFFICE) 2817–64
Lee, S. Y. 637–58
Lee, T. P. 143–62
Lee, W. C.-Y. 3423–40
LENS
(Quadratic Conduction Gas) 2281–303
Waveguides 1909–18
LIGHT
Beams (Gaussian) 1445–57
Scattering 511–26
Limb, J. O. 2555–99
LIMITER (IDEAL) 3031–57
LIMITER-PHASE DETECTOR-FILTER CASCADE 233–48
LINEAR
DC Networks 275–316
Distortion 1865–84
Modulator for a Gaussian Source (Optimum) 3075–89
Time-Invariant Systems (Identification of) 1101–13
Time-Varying Dynamic Control Systems 209–31
Two-Port Networks 1313–38
LINEARIZATION APPROXIMATION (VALIDITY OF STATISTICAL) 2529–43
LINES
(Delay) 1445–57
(Suspended Microstrip Transmission) 2325–32
(Ultrasonic Delay) 659–74
LINE-SEQUENTIAL SCANNING 527–40
LISSAJOUS PATTERNS 1445–57
Liu, S. C. 2031–51
LOADER 2865–96
LOCATION (REMOTE FAULT) 889–952
LOGIC AND MEMORY 2619–68
LOGICAL CIRCUITS 1957–66
Lonnquist, C. W. 2817–64
Loomis, T. C. 345–82
LOOP PLANT (TRANSMISSION CHARACTERISTICS OF CUSTOMER) 3337–72
LOSS
In Integrated Microwave Circuits (Dielectric) 2325–32
Measuring Set (Insertion) 1313–38
LOSSES
(Cutoff Region of a Rectangular

Waveguide with) 2221–58
(Diffraction) 1919–36
Of Dielectric Waveguides (Radiation) 3233–42
(Radiation) 2161–88, 3187–215, 3217–32
LOW-FREQUENCY REMOVAL AND NOISE 255–73
LOW-LOSS OPTICAL WAVEGUIDES 2103–32
Low Noise Receiving Downconverter 1651–63
LOW-PASS FILTERS 1623–49
LUMPED-DISTRIBUTED RC NETWORKS 163–200
Lundgren, C. W. 3387–422
Lundquist, L. 397–412

M

MACHINES (SEQUENTIAL) 1115–27
MAGNETIC
Domains (Cylindrical) 3287–335
Tapes 1745–56
MAINTENANCE 2607–18
Center 2619–68, 2765–64
Plan (No. 2 ESS Administration and) 2765–816
Manganello, J. C. 2817–64
Manley, J. M. 541–614
MAPPING
(Conformal) 1421–44
(Probabilistic) 2023–30
MAPS (RAIN) 1745–56
Marcatili, E. A. J. 2071–132, 2161–88
Marcuse, D. 3187–215, 3217–42
MARKOV
Chains (Imbedded) 675–89
Processes 2031–51
Processes (Rate-Distortion Functions for Gaussian) 3059–74
MASKING (CONTOUR) 2555–82
MAST (SUPPORT) 1605–22
MASTERGROUPS 993–1040
MATHEMATICAL MODELS 2975–97
MATRICES (MINIMAL SYNTHESIS OF TWO-VARIABLE REACTANCE) 163–200
MATRIX
Equations 1919–36
(Factorization of One-Variable Polynomial) 163–200
May, A. S. 3387–422
Mazo, J. E. 2999–3030
McCumber, D. E. 1919–36
McDonald, R. A. 1167–95
McMillan, B. 3091–112
MEAN-SQUARE
Equalizers 1865–84
Error 3075–89
Error Criterion 321–43
Error Distortion Criterion 3059–74
Intersymbol Interference 55–70
MEASUREMENT OF RAINFALL RATE (DENSE NETWORK FOR RAPID) 1745–56
MEASUREMENTS
(Bridging) 1313–38
Of Attenuation (Sun Tracker) 1383–404
Measuring Frequency Characteristics of Linear Two-Port Networks Automatically 1313–38
MEASURING SET (50 Hz-250 MHz COMPUTER-OPERATED TRANSMISSION) 1339–81
MECHANICAL OSCILLATORS 2031–51
MEDIUM (RANDOMLY REFRACTING) 1129–65
MEMORIES (COMPUTER) 659–74
MEMORY (LOGIC AND) 2619–68
MEMORYLESS CHANNELS (DISCRETE) 691–728
Merrick, T. B. 993–1040
METAL FILM MODE-SELECTION FILTERS (THIN) 1405–19
METALLIZATION 1703–26
A Method for Digitally Simulating Shorted Input Diode Failures 1957–66
MICROMINIATURIZATION 2059–69
MICROSTRIP LINES 1703–26
Microstrip Lines for Microwave Integrated Circuits 1421–44
MICROSTRIP TRANSMISSION LINES (SUSPENDED) 2325–32
Microwave and Millimeter Wave Hybrid

Integrated Circuits for Radio Systems 1703–26
MICROWAVE
Circuits 1937–55
Circuits (Dielectric Loss in Integrated) 2325–32
Integrated Circuits (Microstrip Lines for) 1421–44
Radio Systems (Packaged Antenna for Short-Hop) 1605–22
Miller, S. E. 2059–69, 2161–219
MILLIMETER
Wave Hybrid Integrated Circuits (Microwave and) 1703–26
Waves (Centimeter and) 2949–62
MILLIMETER-WAVE IMPATT DIODE OSCILLATOR 143–62
Minimal Synthesis of Two-Variable Reactance Matrices 163–200
MIRRORS 1445–57
(Scattering from Dielectric) 511–26
(Spherical) 1919–36
MISALIGNED WAVEGUIDES (STEP CORRECTION OF) 1909–18
MISTUNING (TANK CIRCUIT) 541–614
MIXERS
(Resistive Diode) 1967–98
(Schottky-Barrier Diode) 1651–63
Mobile Radio Diversity Reception 2473–92
MOBILE RADIO TRANSMISSION 3409–26
MODE
Conversion 2103–32, 2161–88, 3187–215, 3217–32
Coupling 2189–219
Selection 2305–24
(TE_{10}) 2221–58
Mode Conversion Caused by Diameter Changes of a Round Dielectric Waveguide 3217–32
Mode Conversion Caused by Surface Imperfections of a Dielectric Slab Waveguide 3187–215
Model for Generating On-Off Speech Patterns in Two-Way Conversation 2445–72
MODEL FOR IMPULSE NOISE 3243–63
MODELING 209–31, 1727–43
(Computer) 383–96
MODELS (MATHEMATICAL) 2975–97
MODES
(Circular Electric) 3217–32
(Optical) 2071–102, 2133–60
MODE-SELECTION FILTERS (THIN METAL FILM) 1405–19
MODULAR DESIGN 2817–64
MODULATION
(Amplitude and Phase) 1967–98
(Application of Delta) 321–43
(Delta) 1459–79
(Differential Pulse Code) 3059–74
(Frequency) 143–62
Granular Quantizing Noise (Delta) 1197–218
(Phase) 2333–58
(Pulse-Code) 143–62, 2359–89
(Rate Optimization for Digital Frequency) 3021–30
(Response of Delta) 1167–95
Terms (Second and Third Order) 87–142
Transfer Function 1885–907
MODULATOR FOR A GAUSSIAN SOURCE (OPTIMUM LINEAR) 3075–89
MODULATORS 2059–69
MONOLITHIC CIRCUITS 2059–69
MONTE CARLO SIMULATION 2445–72
Mottel, S. 1041–64
Mounts, F. W. 527–40, 2545–54, 2583–99
MULTILEVEL CODING 3021–30
MULTIPLE BEAM OPTICAL WAVEGUIDE 1445–57
Multiplex Touch-Tone® *Detection Using Time Speed-Up* 249–54
MULTIPLEXING 993–1040
MULTIPLIERS (VARACTOR) 1703–26
Murray, G. 675–89
Murray-Lasso, M. A. 275–316

N

N-PORT NETWORK THEORY 163–200
NARROWBAND FREQUENCY ANALYSIS (HIGH-RESOLUTION) 1249–92
NEGATIVE-RESISTANCE OSCILLATOR CIRCUITS (BROADBAND) 1937–55

NEODYMIUM-DOPED YAG LASERS 1405–19
NETWORK
Analysis 637–58
Equations (Solving Nonlinear) 3135–8
For Rapid Measurement of Rainfall Rate (Dense) 1745–56
(Interference in a Dense Radio) 1727–43
(Switching) 2669–712
Theory (N-Port) 163–200
NETWORKS
(Active) 275–316
(Bode) 889–952
In the Time Domain (Synthesis of Pulse-Shaping) 2425–44
(Linear DC) 275–316
(Linear Two-Port) 1313–38
(Lumped-Distributed RC) 163–200
(Synchronizing Digital) 615–36
(Synchronizing Digital Transmission) 2975–97
(Two-Port) 1339–81
Network-Theoretic Properties of Nonlinear DC Transistor Networks 1293–311
New Time Division Switch Units for No. 101 ESS 443–76
No. 101 ESS 4A Switch Unit 477–96
NOISE 3337–72
And Interference (Gaussian) 413–42
Channel (Additive White Gaussian) 71–86
(Communications Systems Which Minimize Coding) 3091–112
(Gaussian) 255–73, 769–812, 2391–403
(Generation and Accumulation of Timing) 541–614
(Granular) 1537–53
Level (Apparent Increase in) 527–40
(Low-Frequency Removal and) 255–73
(Model for Impulse) 3243–63
Of Single-Integration Delta-Modulation Coders (Calculated Quantizing) 2359–89
(Random Gaussian) 743–67
NOISE-MODULATED FM WAVES 87–142
NOISY CHANNELS (DETERMINABILITY OF CLASSES OF) 3265–85
NOISY FEEDBACK (DISCRETE TIME GAUSSIAN CHANNEL WITH) 3173–86
NONBINARY BCH CODES (ADDING TWO INFORMATION SYMBOLS TO CERTAIN) 2405–24
NONCENTRAL CHI-SQUARE DISTRIBUTION (COMPUTATION OF THE) 201–7
NONLINEAR
Control Systems (Jump Criteria of) 2529–43
DC Transistor Networks 1293–311
Model 2975–97
Network Equations (Solving) 3135–8
Networks (DC Equations of) 1–34
Random Vibration 2031–51
Transistor Networks (Dynamic Response of) 35–54
NONLINEARITIES 2999–3020
NONPROBABILISTIC QUEUING STUDY 2963–74
NORATORS 275–316
NULLATORS 275–316
NUMBER TRANSLATION 2713–64
NUMERICAL ERROR (AVERAGE) 3113–30
Nussbaum, E. 2765–816
NYQUIST RATE 2391–403

O

OBJECTIVES (PERFORMANCE) 2713–64
OFFICE LAYOUTS 2817–64
ONE-BIT CODER FOR TELEVISION TRANSMISSION (COMPANDED) 1459–79
ONE-VARIABLE POLYNOMIAL MATRIX (FACTORIZATION OF) 163–200
O'Neill, J. F. 249–54
ON-OFF SPEECH PATTERNS (MODEL FOR GENERATING) 2445–72
OPTICAL
Circuits (Sputtered Glass Waveguide for Integrated) 3431–4

Dielectric Guides (Bends in) 2103–32
Filters 1885–907
Glass 1885–907
Modes 2071–102, 2133–60
Transmission 2059–69
Waveguide (Multiple Beam) 1445–57
Waveguides 1909–18, 3187–215
Waveguides (Low-Loss) 2103–32
OPTICS
(Directional Coupler for Integrated) 2071–102
(Fiber) 3217–32
(Geometric) 2281–303
(Integrated) 2059–69
OPTIMIZATION
For Digital Frequency Modulation (Rate) 3021–30
Techniques 3135–8
Optimum Linear Modulator for a Gaussian Source Used with a Gaussian Channel 3075–89
ORDER CYCLING 2619–68
ORTHOGONAL CODES 71–86
Osborne, T. L. 1577–604, 1623–49, 1651–63
OSCILLATIONS
In Digital Filters (Overflow) 2999–3020
(Parasitic) 1937–55
OSCILLATOR
Circuits (Broadband Negative-Resistance) 1937–55
(Millimeter-Wave IMPATT Diode) 143–62
OSCILLATORS
(Approximate Large-Signal Analysis of IMPATT) 383–96
(IMPATT) 1703–26
(Injection-Locked) 1937–55
(Mechanical) 2031–51
(Rain Gauge) 1757–66
OUTPUT-COUPLING APERTURE 1919–36
OUTPUT SPECTRA (COMPUTER STUDY OF QUANTIZER) 2391–403
Overflow Oscillations in Digital Filters 2999–3020
Overload Stability Problem in Submarine Cable Systems 1853–64

P

A Packaged Antenna for Short-Hop Microwave Radio Systems 1605–22
PACKED CODES (SIGNIFICANT-BIT) 1219–47
PACKS (CIRCUIT) 2817–64
PARABOLIC REFLECTORS 1605–22, 1767–87
PARAMETRIC CIRCUITS 2189–219
PARASITIC OSCILLATIONS 1937–55
PATH-LENGTH DEPENDENCE 2949–62
PATTERNS
(Lissajous) 1445–57
(Model for Generating On-Off Speech) 2445–72
PBX SERVICE 443–76, 477–96
PCM
Coder for Television (Sliding-Scale Direct-Feedback) 1537–53
Repeaters 541–614
Systems 541–614
Pearson, D. E. 527–40
Periodically Coupled Waves, Some Theory and Applications 2189–219
Peripheral System (No. 2 ESS) 2669–712
PERIPHERAL UNITS 2619–68
PERTURBATION THEORY 1129–65
PHASE
Modulation 2333–58
Modulation (Amplitude and) 1967–98
(Sinusoidal Carrier) 769–812
PHASED ARRAYS 2305–24
PHASE-SHIFT
Keyed Systems (Coherent) 743–67
Keying 413–42
Physical and Transmission Characteristics of Customer Loop Plant 3337–85
PHYSICAL DESIGN 821–39
PICTURE
Signal-To-Noise Ratio 527–40
Telephone Systems (Color) 1885–907

PICTURE-ELEMENT REPLENISHMENT (CONDITIONAL) 2545–54
PICTUREPHONE® SERVICE 1481–528
PICTURES (TELEVISION) 527–40
Pierce, J. R. 615–36
Pilc, R. J. 3075–89
PLANAR WAVEGUIDES 2059–69
PLANT (TRANSMISSION CHARACTERISTICS OF CUSTOMER LOOP) 3337–72
PLUGS (RESONANCES IN WAVEGUIDE ANTENNAS WITH DIELECTRIC) 2305–24
PM
  Spectra by Transform Techniques (Digital) 397–412
  Wave (Spectral Density Bounds of a) 769–812
POINT SOURCE (PROPAGATION FROM A) 1129–65
POINTING (RADIO-RELAY ANTENNA) 3373–408
POLYNOMIAL MATRIX (FACTORIZATION OF ONE-VARIABLE) 163–200
POWER
  Amplifiers 841–88
  Converters 1041–64
  Density Spectra 1197–218
  Distribution (Angular) 511–26
  Plants 2817–64
  Ratio (Signal-To-Noise) 3031–57
  Spectrum 397–412
  Spectrum of Hard-Limited Gaussian Processes 3031–57
  Spectrum of the Wall Distortion Function 3233–42
  Spectrum (Rectangular) 769–812
  Supplies 1041–64
Power Spectrum of Hard-Limited Gaussian Processes 3031–57
Power Supplies (L-4 System) 1041–64
Prabhu, V. K. 743–67, 769–812, 2333–58
Prager, D. J. 2281–303
PREAMPLIFIERS 1651–63
  (Coaxial Cable Systems) 841–88
Priebe, H. F. 477–96
PROBABILISTIC MAPPING 2023–30
PROBABILITIES (DATA TRANSMISSION ERROR) 255–73
PROBABILITY 1789–851
  (Error) 3173–86
On the Probability of Error Using a Repeat-Request Strategy on the Additive White Gaussian Noise Channel 71–86
PROCESSING
  Plan (Service Features and Call) 2713–64
  Unit (Central) 2619–68
PROGRAM
  Control (Stored) 443–76
  Stores 2619–68
PROGRAMS
  (Call) 2607–18
  (Computer) 201–7, 1957–66
  (Diagnostic) 2765–816
  (Service) 2865–96
PROPAGATING ERRORS (BACKWARD) 1957–66
PROPAGATION
  Constant 1421–44, 2071–160
  (Domain) 3287–335
Propagation from a Point Source in a Randomly Refracting Medium 1129–65
Protonotarios, E. N. 1167–95
PSK Error Performance with Gaussian Noise and Interference 413–42
PULSE
  Code Modulation (Differential) 3059–74
  Shaping 55–70
PULSE-CODE MODULATION 143–62, 2359–89
PULSE-SHAPING NETWORKS IN THE TIME DOMAIN (SYNTHESIS OF) 2425–44
PUMP EFFICIENCY (MAXIMUM) 1623–49

Q

Quadratic Conduction Gas Lens 2281–303
QUANTIZATION
  And Transmission Error 1219–47
  (Block) 3059–74

QUANTIZED VISUAL SIGNALS (DESIGN OF DITHER WAVEFORMS FOR) 2555–82
QUANTIZER
For Television (Digital Differential) 2583–99
Output Spectra (Computer Study of) 2391–403
QUANTIZING NOISE 1537–53, 3091–112
QUANTIZING NOISE (DELTA MODULATION GRANULAR) 1197–218
QUANTIZING NOISE OF SINGLE-INTEGRATION DELTA-MODULATION CODERS (CALCULATED) 2359–89
QUANTUM EFFICIENCY 345–82
Queues Served in Cyclic Order 675–89
QUEUING THEORY 2963–74
QUEUING STUDY (NONPROBABILISTIC) 2963–74
Quinn, T. M. 2619–68

R

Rabiner, L. R. 1249–92
Rackson, L. M. 1065–93
Rader, C. M. 1249–92
RADIATING ELEMENTS 2305–24
RADIATION LOSSES 2161–88, 3187–215, 3217–32
Radiation Losses of Dielectric Waveguides in Terms of the Power Spectrum of the Wall Distortion Function 3233–42
RADIO
Network (Interference in a Dense) 1727–43
System Experiment (Short-Hop) 1577–604
Systems (Packaged Antenna for Short-Hop Microwave) 1605–22
Systems (Short-Hop) 1563–76, 1623–49, 1665–86, 1727–43
Transmission (Mobile) 3409–26
Radio-Relay Antenna Pointing for Controlled Interference with Geostationary Satellites 3387–422
RAIN 1563–604, 1727–43
At 16 and 30 GHz 1383–404
Gauge Calibration Data 1757–66
Gauge Oscillators 1757–66
Gauges 1745–56, 1767–87, 1789–851
Maps 1745–56
(Statistics on Attenuation of Microwaves by Intense) 2949–62
RAINDROP SIZE 1767–87
RAINFALL
At 18.5 GHz (Attenuation by) 1767–87
Rate (Dense Network for Rapid Measurement of) 1745–56
Rates 2949–62
(Statistical Description of Intense) 1789–851
RANDOM
Gaussian Noise 743–67
Processes (Discrete-Time) 3091–112
Variables (Extended Correlation Function of Two) 3409–26
Vibration (Nonlinear) 2031–51
RANDOMLY REFRACTING MEDIUM 1129–65
RANGES (REFRACTION-CORRECTED) 3373–408
Rao, T. N. 163–200
RAPID MEASUREMENT OF RAINFALL RATE (DENSE NETWORK FOR) 1745–56
RATE
(Dense Network for Rapid Measurement of Rainfall) 1745–56
(Nyquist) 2391–403
RATE-DISTORTION
Functions 3075–89
Functions for Gaussian Markov Processes 3059–74
Rate-Distortion Functions for Gaussian Markov Processes 3059–74
Rate Optimization for Digital Frequency Modulation 3021–30
RATES
(Bit) 659–74
(Rainfall) 2949–62
RC NETWORKS (LUMPED-DISTRIBUTED) 163–200
REACTANCE MATRICES (MINIMAL SYNTHESIS OF TWO-VARIABLE) 163–200
RECEIVERS 1577–604

RECEIVING DOWNCONVERTER (LOW-NOISE) 1651–63
RECEPTION (DIVERSITY) 3409–26
Recirculating Ultrasonic Stores: an Economical Approach to Sequential Storage with Bit Rates Beyond 100 MHz 659–74
RECTANGULAR
Dielectric Waveguides 2133–60
Power Spectrum 769–812
Waveguide (Dielectric) 2071–102
Waveguide with Losses (Cutoff Region of a) 2221–58
Waveguides 2259–80
REDUCED RESOLUTION REQUIREMENTS 1529–35
REDUCTION (BANDWIDTH) 2545–54
REDUNDANCY 2765–816
REED-SOLOMON
Codes 2405–24
Codes (Convolutional) 729–42
REFLECTORS (PARABOLIC) 1605–22, 1767–87
REFRACTING MEDIUM (RANDOMLY) 1129–65
REFRACTION-CORRECTED RANGES 3373–408
REFRACTIVITY 1405–19
REGION OF A RECTANGULAR WAVEGUIDE WITH LOSSES (CUTOFF) 2221–58
REGULATING REPEATERS (BASIC AND) 841–88
RELAYS 2669–712
REMOTE-CONTROL SYSTEM (EQUALIZER) 953–81
REMOTE FAULT LOCATION 889–952
REMOVAL AND NOISE (LOW-FREQUENCY) 255–73
REPEATERS 143–62, 821–39, 1563–622, 1727–43, 1853–64
(Basic and Regulating) 841–88
(Equalizing and Main Station) 889–952
(PCM) 541–614
REPEAT-REQUEST STRATEGY (PROBABILITY OF ERROR USING A) 71–86
REPLENISHMENT (CONDITIONAL PICTURE-ELEMENT) 2545–54
RESISTIVE DIODE MIXERS 1967–98
RESOLUTION 2507–27
Requirements (Reduced) 1529–35
(Spatial) 1529–35, 1885–907
(Wavelength-Dependent) 1885–907
RESONANCE (IDLER) 143–62
Resonances in Waveguide Antennas with Dielectric Plugs 2305–24
RESONATOR (ASYMMETRIC CYLINDRICAL CONFOCAL LASER) 1919–36
RESONATORS 2059–69
(Hilbert Transformers and) 501–10
RESPONSE
Of Delta Modulation 1167–95
Of Nonlinear Transistor Networks (Dynamic) 35–54
Response of Delta Modulation to Gaussian Signals 1167–95
RESTORAL (SERVICE) 2765–816
Rice, S. O. 87–142
Richards, P. C. 2713–64
Ricker, G. W. 2865–96
Roberts, L. R. 2713–64
Robertson, G. H. 201–7, 2391–403
Rock, C. C. 841–88
Rosenbaum, A. S. 413–42
ROUND DIELECTRIC WAVEGUIDE (DIAMETER CHANGES OF A) 3217–32
Rowe, H. E. 769–812, 3021–30
Rudin, H. 1865–84
Ruthroff, C. L. 1577–604, 1727–43

S

S-BAND SYSTEM (APOLLO UNIFIED) 233–48
Saltzberg, B. R. 255–73
Salz, J. 3021–30
SAMPLING 2391–403
Filter Subroutine 501–10
Filters (Frequency) 501–10
(Work) 2493–506
Sandberg, I. W. 1–54, 1293–311, 1999–2022, 2975–97
Sarachik, P. E. 209–31
SATELLITES (CONTROLLED INTERFERENCE WITH GEOSTATIONARY) 3373–408
SCALE (LABORATORY) 1339–81
SCALING 1703–26

SCANNERS 2669–712
SCANNING 1529–35
(Line-Sequential) 527–40
System for Hologram Transmission (Heterodyne) 2507–27
SCATTERING
(Cross) 1445–57
From Dielectric Mirrors 511–26
Losses 3187–215
Scattering from Dielectric Mirrors 511–26
Schafer, R. W. 1249–92
Schleich, R. G. 1339–81
Schneider, M. V. 1405–19, 1421–44, 1703–26, 2325–32
SCHOTTKY-BARRIER
Diode Mixers 1651–63
Diodes 1967–98
Second and Third Order Modulation Terms in the Distortion Produced when Noise Modulated FM Waves Are Filtered 87–142
Second Order Statistical Analysis of the Operation of a Limiter-Phase Detector-Filter Cascade 233–48
SELECTION (MODE) 2305–24
SELECTIVE FADING 1767–87
Seley, E. L. 477–96
Semplak, R. A. 1745–56, 1767–87
SENSITIVITIES (ANGULAR AND WAVELENGTH) 2909–47
SENSITIVITY (SPECTRAL) 345–82
SEQUENCES (CLICK) 2999–3020
SEQUENTIAL
Coding 691–728
Machines 1115–27
Storage 659–74
SERIAL SHIFT REGISTERS 249–54
SERRATED-SEAM COAXIALS 1065–93
SERVED IN CYCLIC ORDER (QUEUES) 675–89
Service Features and Call Processing Plan (No. 2 ESS) 2713–64
Service Programs (No. 2 ESS) 2865–96
SET (50 Hz to 250 MHz COMPUTER-OPERATED TRANSMISSION MEASURING) 1339–81
SHAPING (PULSE) 55–70
Sheerer, W. G. 889–952
SHIFT REGISTERS
(Serial) 249–54
(Tapped Binary) 321–43
SHORT-HOP
Microwave Radio Systems (Packaged Antenna for) 1605–22
Radio Systems 1563–76, 1623–49, 1665–86, 1727–43
Short-Hop Radio System Experiment 1577–1604
SHORTED INPUT DIODE FAILURES (DIGITALLY SIMULATING) 1957–66
SIGNAL PARAMETER ESTIMATORS (BOUNDS ON THE BIAS OF) 2023–30
SIGNALS
(Design of Dither Waveforms for Quantized Visual) 2555–82
(Gaussian) 1167–95
(Visual) 2583–99
SIGNAL-TO-NOISE
Analysis 821–39
Power Ratio 3031–57
Ratio 2507–27
Ratio (Finite) 3173–86
Ratio (Picture) 527–40
SIGNIFICANT-BIT PACKED CODES 1219–47
SILICON 345–82
The Silicon Diode Array Camera Tube 1481–528
Simmonds, T. H., Jr., 993–1040
Simon, M. K. 255–73
SIMULATING SHORTED INPUT DIODE FAILURES (DIGITALLY) 1957–66
SIMULATION
(Computer) 87–142, 1167–95, 1909–18
(Digital Fault) 1957–66
(Experimental) 1445–57
(Monte Carlo) 2445–72
SIMULATOR 2865–96
SINGLE-FREQUENCY LASERS (HIGH-POWER) 1405–19
SINGULAR IMBEDDING (COMPUTER-AIDED CIRCUIT DESIGN BY) 275–316
SINUSOIDAL CARRIER PHASE 769–812
Sittig, E. K. 659–74

Skinner, R. S. 2817–64
Skubiak, M. T. 2817–64
SLAB WAVEGUIDE (SURFACE IMPERFECTIONS OF A DIELECTRIC) 3187–215
A Sliding-Scale Direct-Feedback PCM Coder for Television 1537–53
Smith, P. W. 1405–19
Smits, F. M. 659–74
Snell, W. W. 1651–63
Solid State Devices (L-4 System) 983–92
Solutions of Fokker-Planck Equation with Applications in Nonlinear Random Vibration 2031–51
Solving Nonlinear Network Equations Using Optimization Techniques 3135–8
Some Basic Characteristics of Broadband Negative Resistance Oscillator Circuits 1937–55
Some Measurements of Attenuation by Rainfall at 18.5 GHz 1767–87
Some Network-Theoretic Properties of Nonlinear DC Transistor Networks 1293–311
Some Properties of a Nonlinear Model of a System for Synchronizing Digital Transmission Networks 2975–97
Some Theorems on Properties of DC Equations of Nonlinear Networks 1–34
Some Theorems on the Dynamic Response of Nonlinear Transistor Networks 35–54
Some Theory and Applications of Periodically Coupled Waves 2189–219
SPACE (COMMUNICATION OF ANALOG DATA FROM A BOUNDED SOURCE) 3139–72
SPACES (BANACH) 209–31
SPATIAL RESOLUTION 1529–35, 1885–907
Spaulding, D. A. 2425–44
SPECTRA
  By Transform Techniques (Digital PM) 397–412
  (Computer Study of Quantizer Output) 2391–403
  (Power Density) 1197–218
SPECTRAL
  Analysis 1249–92
  Sensitivity 345–82
Spectral Density Bounds of a PM Wave 769–812
SPECTRUM
  Conservation (Frequency) 1727–43
  Of the Wall Distortion Function (Power) 3233–42
  (Power) 397–412
  (Rectangular Power) 769–812
SPEECH PATTERNS (MODEL FOR GENERATING ON-OFF) 2445–72
SPEED (SWITCHING) 35–54
SPEED-UP (TIME) 249–54
Spencer, A. E. 2607–18
SPHERICAL MIRRORS 1919–36
Sputtered Glass Waveguide for Integrated Optical Circuits 3445–8
STABILITY 1853–64, 1999–2022
  Problem in Submarine Cable Systems (Overload) 1853–64
  Theorem 35–54
Standley, R. D. 143–62, 3445–8
STATISTICAL
  Analysis 2445–72
  Analysis (Second-Order) 233–48
  Description of Intense Rainfall 1789–851
  Linearization Approximation (Validity of) 2529–43
  Theory 1909–18
  Treatment 1757–66
A Statistical Description of Intense Rainfall 1789–851
Statistical Treatment of Rain Gauge Calibration Data 1757–66
STATISTICS 201–7
  (Correlation) 1197–218
Statistics on Attenuation of Microwaves by Intense Rain 2949–62
Steier, W. H. 1445–57
Step Correction of Misaligned Waveguides 1909–18
STOCHASTIC PROCESSES 2031–51
STORAGE
  Requirements (Digital) 3091–112
  (Sequential) 659–74

STORED PROGRAM CONTROL 443–76
STORES
(Call) 2619–68
(Program) 2619–68
(Recirculating Ultrasonic) 659–74
STRAIGHT AND CURVED WAVEGUIDES (JUNCTION BETWEEN) 2259–80
STRATEGY (PROBABILITY OF ERROR USING A REPEAT-REQUEST) 71–86
STREAKING 1537–53
STRIPLINE WAVEGUIDES 3431–4
SUBJECTIVE TESTS 1459–79
SUBMARINE CABLE SYSTEMS (OVERLOAD STABILITY PROBLEM IN) 1853–64
SUBROUTINE (SAMPLING FILTER) 501–10
SUBSTRATES (DIELECTRIC) 1421–44
Sun Tracker Measurements of Attenuation by Rain at 16 and 30 GHz 1383–404
SUPERVISION 2713–64
SUPPLIES (POWER) 1041–64
SURFACE IMPERFECTIONS OF A DIELECTRIC SLAB WAVEGUIDE 3187–215
SUSPENDED MICROSTRIP TRANSMISSION LINES 2325–32
SWAP (SWITCHING ASSEMBLER PROGRAM) 2865–96
SWITCH
Unit (No. 101 ESS 4A) 477–96
Units for No. 101 ESS (New Time-Division) 443–76
SWITCHING
Assembler Program SWAP 2865–96
Circuits (DC) 1–34
Network 2669–712
Speed 35–54
SYMBOLS TO CERTAIN NONBINARY BCH CODES (ADDING TWO INFORMATION) 2405–24
Synchronizing Digital Networks 615–36
SYNCHRONIZING DIGITAL TRANSMISSION NETWORKS 2975–97
SYNTHESIS
(Bode's Constant-Resistance Lattice) 637–58
Of Pulse-Shaping Networks in the Time Domain 2425–44
Of Sequential Circuits (Uniform) 1115–27
Of Two-Variable Reactance Matrices (Minimal) 163–200
Synthesis of Pulse-Shaping Networks in the Time Domain 2425–44
A System Approach to Quantization and Transmission Error 1219–47
System Organization and Objectives (No. 2 ESS) 2607–18

T

TANK CIRCUIT MISTUNING 541–614
TAPES (MAGNETIC) 1745–56
TAPPED
Binary Shift Registers 321–43
Delay-Line Filter 55–70
TARGETS (DIODE ARRAY) 1481–528
Taylor, M. G. 2999–3020
Taylor, R. G. 2669–712
TELEPHONE
Channel Noise (Amplitude Distributions of) 3243–63
Systems (Color Picture) 1885–907
Systems (Exploratory Key) 249–54
TELETYPEWRITERS 2765–816
TELEVISION
(Digital Differential Quantizer for) 2583–99
Equipment 1481–528
Pictures 527–40
(Sliding-Scale Direct-Feedback PCM Coder for) 1537–53
Transmission (Companded One-Bit Coder for) 1459–79
Television Transmission of Holograms with Reduced Resolution Requirements on the Camera Tube 1529–35
TEMPERATURE
(Brightness) 1383–404
Distribution 2281–303
TERMS (SECOND AND THIRD ORDER MODULATION) 87–142
Terminal Arrangements (L-4 System) 993–1040
TEST CIRCUITS (SERVICE) 2669–712
TESTING (SERVICE) 2713–64
TE_{10} MODE 2221–58

THEOREM (STABILITY) 35–54
The Theory of Cylindrical Magnetic Domains 3287–335
THERMAL CONVECTION 2281–303
THERMOELECTRIC GENERATORS 1577–604
THICK HOLGRAM GRATINGS (COUPLED-WAVE THEORY FOR) 2909–47
Thiele, A. A. 3287–335
THIN
Film Circuits 3431–4
Films (Anisotropic Ferromagnetic) 3287–335
Metal Film Mode-Selection Filters 1405–19
THREE-BIT CODER 1537–53
THREE-DIMENSIONAL IMAGES 2507–27
Tillotson, L. C. 1563–76, 1727–43
TIME
Compression 249–54
(Computer) 383–96
Delays 2975–97
Domain (Synthesis of Pulse-Shaping Networks in the) 2425–44
Function (Complex) 501–10
Speed-Up 249–54
(Transmission) 615–36
Usage in Bell System Business Offices 2493–506
TIME-DIVISION SWITCH UNITS FOR No. 101 ESS (NEW) 443–76
TIME-INVARIANT SYSTEMS (IDENTIFICATION OF LINEAR) 1101–13
TIME-VARYING DYNAMIC CONTROL SYSTEMS (LINEAR) 209–31
TIMING NOISE (GENERATION AND ACCUMULATION OF) 541–614
Tong, S. Y. 729–42
Touch-Tone ® DETECTION (MULTIPLEX) 249–54
Touch-Tone ® SERVICE 443–76
TOWERS 1577–604
Toy, W. N. 2619–68
TRAFFIC (BUSY-HOUR) 2607–18
TRAINING ALGORITHM 55–70
TRANSDUCERS 1967–98
TRANSFER
Function (Modulation) 1885–907
Impedance Function 637–58
TRANSFORM
(Fast Fourier) 1249–92
Techniques (Digital PM Spectra by) 397–412
TRANSFORMERS AND RESONATORS (HILBERT) 501–10
TRANSFORMS
(Double Fourier) 397–412
(Fourier) 87–142, 1197–218
(Laplace-Stieltjes) 675–89
TRANSISTOR NETWORKS
(Dynamic Response of Nonlinear) 35–54
(Nonlinear DC) 1293–311
TRANSISTORS 983–92, 1313–81, 1651–63
TRANSLATION (NUMBER) 2713–64
TRANSMISSION
Characteristics of Customer Loop Plant 3337–72
(Data) 55–70, 2425–44
Delays 1999–2022
Distortion 3075–89
Error Probabilities (Data) 255–73
Error (Quantization and) 1219–47
(Heterodyne Scanning System for Hologram) 2507–27
Lines (Suspended Microstrip) 2325–32
Measuring Set (50 Hz–250 MHz Computer-Operated) 1339–81
Measuring Sets (Calibration) 1313–38
(Mobile Radio) 3409–26
Networks (Synchronizing Digital) 2975–97
Of Holograms (Television) 1529–35
(Optical) 2059–69
Systems (Digital) 1999–2022
Time 615–36
TRANSMITTERS 1577–604
TRANSVERSAL
Digital Filters 321–43
Filters (Automatic) 1865–84
TRAVELING WAVES 2189–219
TRUNK CIRCUITS 2669–712
TRUTH TABLES 1957–66
TUBE
(Camera) 1529–35

(Silicon Diode Array Camera) 1481–528
TUBES AND X-RAY IMAGING (DIODE ARRAY CAMERA) 345–82
Turrin, R. H. 1605–22, 1767–87
TWO-PORT
Networks 1339–81
Networks (Linear) 1313–38
TWO-VARIABLE REACTANCE MATRICES (MINIMAL SYNTHESIS OF) 163–200
TWO-WAY CONVERSATION 2445–72
TWO'S-COMPLEMENT ADDERS 2999–3020

U

Ullman, J. D. 1115–27
ULTRASONIC
Delay Lines 659–74
Stores (Recirculating) 659–74
UNIFIED S-BAND SYSTEM (APOLLO) 233–48
Uniform Approximation of Linear Systems 209–31
Uniform Synthesis of Sequential Circuits 1115–27
UP-DOWN COUNTERS 321–43
UPCONVERTERS (DESIGN OF EFFICIENT BROADBAND VARACTOR) 1623–49
Use of Frequencies Above 10 GHz for Common-Carrier Applications 1563–76

V

VALIDITY OF STATISTICAL LINEARIZATION APPROXIMATION 2529–43
VARACTOR
Multipliers 1703–26
Upconverters (Design of Efficient Broadband) 1623–49
VARACTORS 143–62
VARIABLES (EXTENDED CORRELATION FUNCTION OF TWO RANDOM) 3409–26
VARIOLOSSERS 1665–86
(Design of Efficient Broadband) 1687–702
VIBRATION (NONLINEAR RANDOM) 2031–51
Video Encoding System Using Conditional Picture-Element Replenishment 2545–54
VIDEO FILTERS 233–48
Vigilante, F. S. 2607–18
VISUAL
Signals 2583–99
Signals (Design of Dither Waveforms for Quantized) 2555–82
VOICEBAND CHANNELS 3243–63

W

Wadsworth, D. J. 443–76, 2817–64
WAFER CIRCUIT (IRIS) 143–62
WALL DISTORTION FUNCTION (POWER SPECTRUM OF THE) 3233–42
WAVE
Guidance (Directional Control in Electromagnetic) 2161–88
(Spectral Density Bounds of a PM) 769–812
WAVEFORMS
(Dither) 2583–99
For Quantized Visual Signals (Design of Dither) 2555–82
WAVEGUIDE
Antennas with Dielectric Plugs (Resonances in) 2305–24
(Diameter Changes of a Round Dielectric) 3217–32
(Dielectric Rectangular) 2071–102
For Integrated Optical Circuits (Sputtered Glass) 3431–34
(Multiple Beam Optical) 1445–57
(Surface Imperfections of a Dielectric Slab) 3187–215
WAVEGUIDES 143–62
(Beam) 1909–18
(Cylindrical) 2161–88
(Dielectric) 2221–58
(Junction Between Straight and Curved) 2259–80
(Lens) 1909–18
(Low-Loss Optical) 2103–32
(Optical) 1909–18
(Planar) 2059–69
(Radiation Losses of Dielectric) 3233–42
(Rectangular Dielectric) 2133–60

(Step Correction of Misaligned) 1909–18
WAVELENGTH SENSITIVITIES (ANGULAR AND) 2909–47
WAVELENGTH-DEPENDENT RESOLUTION 1885–907
WAVES
(Acoustic) 1129–65
(Centimeter and Millimeter) 2949–62
(Periodically Coupled) 2189–219
(Traveling) 2189–219
Weiner, P. 1115–27
Weiss, M. M. 345–82
WHITE GAUSSIAN NOISE CHANNEL (ADDITIVE) 71–86
Williams, W. H. 2493–506
Willson, A. N., Jr., 1–34, 1293–311
Wilson, R. W. 1383–404
Wirtz, R. J. 889–952
Wolf, J. K. 2405–24
WORK SAMPLING 2493–506
Work-Scheduling Algorithms: a Non-probabilistic Queuing Study (with Possible Application to No. 1 ESS) 2963–74
WRITERS (CARD) 2817–64
Wu, C. P. 2305–24
Wyner, A. D. 71–86, 3139–86
Wynn, W. D. 233–48

X

X-BAND 2221–58
X-RAY IMAGING (DIODE ARRAY CAMERA TUBES AND) 345–82

Y

YAG LASERS (NEODYMIUM-DOPED) 1405–19
Yates, J. E. 2619–68
York, R. K. 443–76

Z

Z-TRANSFORM ALGORITHM (CHIRP) 1249–92
Ziv, J. 2023–30, 3139–72

1969 Contents

January

Some Theorems on Properties of DC Equations of Nonlinear Networks — I. W. Sandberg and A. N. Wilson, Jr. — 1

Some Theorems on the Dynamic Response of Nonlinear Transistor Networks — I. W. Sandberg — 35

Adaptive Equalization of Highly Dispersive Channels for Data Transmission — A. Gersho — 55

On the Probability of Error Using a Repeat-Request Strategy on the Additive White Gaussian Noise Channel — A. D. Wyner — 71

Second and Third Order Modulation Terms in the Distortion Produced when Noise Modulated FM Waves are Filtered — S. O. Rice — 87

Frequency Modulation of a Millimeter-Wave IMPATT Diode Oscillator and Related Harmonic Generation Effects — T. P. Lee and R. D. Standley — 143

Minimal Synthesis of Two-Variable Reactance Matrices — T. N. Rao — 163

Computation of the Noncentral Chi-Square Distribution — G. H. Robertson — 201

Uniform Approximation of Linear Systems — H. Heffes and P. E. Sarachik — 209

A Second Order Statistical Analysis of the Operation of a Limiter-Phase Detector-Filter Cascade — W. D. Wynn — 233

Multiplex *Touch-Tone*® Detection Using Time Speed-Up — J. F. O'Neill — 249

Data Transmission Error Probabilities in the Presence of Low-Frequency Removal and Noise — B. R. Saltzberg and M. K. Simon — 255

Computer-Aided Circuit Design by Singular Imbedding — E. B. Kozemchak and M. A. Murray-Lasso — 275

February

The Application of Delta Modulation to Analog-to-PCM Encoding — D. J. Goodman — 321

Diode Array Camera Tubes and X-Ray Imaging — A. N. Chester, T. C. Loomis, and M. M. Weiss — 345

Approximate Large-Signal Analysis of IMPATT Oscillators — J. L. Blue — 383

Digital PM Spectra by Transform Techniques — Leif Lundquist — 397

PSK Error Performance with Gaussian Noise and Interference — A. R. Rosenbaum — 413

New Time Division Switch Units for No. 101 ESS — T. E. Browne, D. J. Wadsworth, and R. K. York — 443

No. 101 ESS 4A Switch Unit — H. F. Priebe and E. L. Seley — 477

March

Frequency Sampling Filters—Hilbert Transformers and Resonators — R. E. Bogner — 501

Scattering from Dielectric Mirrors — D. Gloge, E. L. Chinnock, and H. E. Earl — 511

Apparent Increase in Noise Level When Television Pictures are Frame-Repeated — F. W. Mounts and D. E. Pearson — 527

The Generation and Accumulation of Timing Noise in PCM Systems—An Experimental and Theoretical Study — J. M. Manley — 541

Synchronizing Digital Networks — J. R. Pierce — 615

Extension of Bode's Constant Resistance Lattice Synthesis of Transfer Impedance Function — S. Y. Lee — 637

Recirculating Ultrasonic Stores: An Economical Approach To Sequential Storage with Bit Rates Beyond 100 MHz — E. K. Sittig and F. M. Smits — 659

Queues Served in Cyclic Order — R. B. Cooper and G. Murray — 675

A Hybrid Coding Scheme for Discrete Memoryless Channels — D. D. Falconer — 691

Convolutional Reed-Solomon Codes — P. M. Ebert and S. Y. Tong — 729

Error Rate Considerations for Coherent Phase-Shift Keyed Systems with Co-Channel Interference — V. K. Prabhu — 743

Spectral Density Bounds of a PM Wave — V. K. Prabhu and H. E. Rowe — 769

Brief: Correction Concerning Reflecting Objects in Coherent Illumination — L. H. Enloe — 817

April

Foreword — R. H. Klie — 819

The L-4 Coaxial System — F. H. Blecher, R. C. Boyd, F. J. Hallenbeck, and F. J. Herr — 821

Basic and Regulating Repeaters — J. L. Garrison, L. P. Labbe, and C. C. Rock — 841

Equalizing and Main Station Repeaters — F. C. Kelcourse, W. G. Sheerer, and R. J. Wirtz — 889

The Equalizer Remote-Control System — R. E. Anderson and C. R. Crue — 953

Solid State Devices — N. J. Chaplin, G. A. Dodson, and R. M. Jacobs — 983

Terminal Arrangements — W. G. Albert, J. B. Evans, Jr., T. J. Haley, T. B. Merrick, and T. H. Simmonds, Jr. — 993

Power Supplies — J. D. Bishop and S. Mottel — 1041

Coaxial Cable and Apparatus — G. H. Duvall and L. M. Rackson — 1065

May-June

On the Identification of Linear Time-Invariant Systems from Input-Output Data — B. Gopinath — 1101

Uniform Synthesis of Sequential Circuits — J. D. Ullman and P. Weiner — 1115

Propagation from a Point Source in a Randomly Refracting Medium — R. T. Aiken — 1129

Response of Delta Modulation to Gaussian Signals — M. R. Aaron, J. S. Fleischman, R. A. McDonald, and E. N. Protonotarios — 1167

Delta Modulation Granular Quantizing Noise — D. J. Goodman — 1197

A System Approach to Quantization and Transmission Error — M. M. Buchner, Jr. — 1219

The Chirp z-Transform Algorithm and Its Application — L. R. Rabiner, R. W. Schafer, and C. M. Rader — 1249

Some Network-Theoretic Properties of Nonlinear DC Transistor Networks — I. W. Sandberg and A. N. Willson, Jr. — 1293

Measuring Frequency Characteristics of Linear Two-Port Networks Automatically — J. G. Evans — 1313

A 50 Hz-250 MHz Computer-Operated Transmission Measuring Set — W. J. Geldart, G. D. Haynie, and R. G. Schleich — 1339

Sun Tracker Measurements of Attenuation by Rain at 16 and 30 GHz — R. W. Wilson — 1383

High-Power Single-Frequency Lasers Using Thin Metal Film Mode-Selection Filters — P. W. Smith, M. V. Schneider, and H. G. Danielmeyer — 1405

Microstrip Lines for Microwave Integrated Circuits — M. V. Schneider — 1421

Experimental Simulation of a Multiple Beam Optical Waveguide — D. Gloge and W. H. Steier — 1445

A Companded One-Bit Coder for Television Transmission — R. H. Bosworth and J. C. Candy — 1459

The Silicon Diode Array Camera Tube — M. H. Crowell and E. F. Labuda — 1481

Television Transmission of Holograms with Reduced Resolution Requirements on the Camera Tube — C. B. Burckhardt and L. H. Enloe — 1529

A Sliding-Scale Direct-Feedback PCM Coder for Television — E. F. Brown — 1537

July-August

Use of Frequencies Above 10 GHz for Common Carrier Applications — L. C. Tillotson — 1563

Short Hop Radio System Experiment — C. L. Ruthroff, T. L. Osborne, and W. F. Bodtmann — 1577

A Packaged Antenna for Short-Hop Microwave Radio Systems — A. B. Crawford and R. H. Turrin — 1605

Design of Efficient Broadband Varactor Upconverters — T. L. Osborne — 1623

Low Noise Receiving Downconverter — T. L. Onborne, L. U. Kibler, and W. W. Snell — 1651

Broadband 300 MHz IF Amplifier Design — W. F. Bodtmann and F. E. Guilfoyle — 1665

Design of Efficient Broadband Variolossers — W. F. Bodtmann — 1687

Microwave and Millimeter Wave Hybrid Integrated Circuits for Radio Systems — M. V. Schneider, B. Glance, and W. F. Bodtmann — 1703

Interference in a Dense Radio Network — C. L. Ruthroff and L. C. Tillotson 1727

A Dense Network for Rapid Measurement of Rainfall Rate — R. A. Semplak and H. E. Keller 1745

Statistical Treatment of Rain Gauge Calibration Data — Mrs. A. E. Freeny 1757

Some Measurements of Attenuation by Rainfall at 18.5 GHz — R. A. Semplak and R. H. Turrin 1767

A Statistical Description of Intense Rainfall — Mrs. A. E. Freeny and J. D. Gabbe 1789

Overload Stability Problem in Submarine Cable Systems — C. D. Anderson 1853

A Continuously Adaptive Equalizer for General-Purpose Communication Channels — H. Rudin 1865

An Imaging System Exhibiting Wavelength-Dependent Resolution — S. Y. Chai 1885

Step Correction of Misaligned Waveguides — J. C. Daly 1909

Eigenmodes of an Asymmetric Cylindrical Confocal Laser Resonator with a Single Output-Coupling Aperture — D. E. McCumber 1919

Some Basic Characteristics of Broadband Negative Resistance Oscillator Circuits — K. Kurokawa 1937

A Method for Digitally Simulating Shorted Input Diode Failures — H. Y. Chang 1957

Amplitude and Phase Modulations in Resistive Diode Mixers — C. Dragone 1967

On Conditions Under Which It Is Possible to Synchronize Digital Transmission Systems — I. W. Sandberg 1999

Bounds on the Bias of Signal Parameter Estimators — J. Ziv 2023

Solutions of Fokker-Planck Equation with Applications in Nonlinear Random Vibration — S. C. Liu 2031

September

Integrated Optics: An Introduction — S. E. Miller 2059

Dielectric Rectangular Waveguide and Directional Coupler for Integrated Optics — E. A. J. Marcatili 2071

Bends in Optical Dielectric Guides — E. A. J. Marcatili 2103

A Circular-Harmonic Computer Analysis of Rectangular Dielectric Waveguides — J. E. Goell — 2133

Improved Relations Describing Directional Control in Electromagnetic Wave Guidance — E. A. J. Marcatili and S. E. Miller — 2161

Some Theory and Applications of Periodically Coupled Waves — S. E. Miller — 2189

The Cutoff Region of a Rectangular Waveguide with Losses, Its Properties and Uses — L. U. Kibler — 2221

Intermodal Coupling at the Junction Between Straight and Curved Waveguides — C. P. Bates — 2259

A Quadratic Conduction Gas Lens — C. A. Fritsch and D. J. Prager — 2281

Resonances in Waveguide Antennas with Dielectric Plugs — C. P. Wu — 2305

Dielectric Loss in Integrated Microwave Circuits — M. V. Schneider — 2325

Interchannel Interference Considerations in Angle-Modulated Systems — V. K. Prabhu and L. H. Enloe — 2333

Calculated Quantizing Noise of Single-Integration Delta-Modulation Coders — J. E. Iwersen — 2359

Computer Study of Quantizer Output Spectra — G. H. Robertson — 2391

Adding Two Information Symbols to Certain Nonbinary BCH Codes and Some Applications — J. K. Wolf — 2405

Synthesis of Pulse-Shaping Networks in the Time Domain — D. A. Spaulding — 2425

A Model for Generating On-Off Speech Patterns in Two-Way Conversation — P. T. Brady — 2445

Mobile Radio Diversity Reception — E. N. Gilbert — 2473

An Analysis of Time Usage in Bell System Business Offices — W. H. Williams and Mrs. H. Chen — 2493

A Heterodyne Scanning System for Hologram Transmission — A. B. Larsen — 2507

Jump Criteria of Nonlinear Control Systems and the Validity of Statistical Linearization Approximation — S. H. Kyong — 2529

A Video Encoding System Using Conditional Picture-Element Replenishment — F. W. Mounts — 2545

Design of Dither Waveforms for Quantized Visual Signals — J. O. Limb — 2555

Digital Differential Quantizer for Television — J. O. Limb and F. W. Mounts — 2583

October

System Organization and Objectives — A. E. Spencer and F. S. Vigilante — 2607

Control Unit System — T. E. Browne, T. M. Quinn, W. N. Toy, and J. E. Yates — 2619

Peripheral System — J. Digrindakis, L. Freimanis, H. R. Hofmann, and R. G. Taylor — 2669

Service Features and Call Processing Plan — R. J. Andrews, J. J. Driscoll, J. A. Herndon, P. C. Richards, and L. R. Roberts — 2731

Administration and Maintenance Plan — H. J. Beuscher, G. E. Fessler, D. W. Huffman, P. J. Kennedy, and E. Nussbaum — 2765

Apparatus and Equipment — C. W. Lonnquist, J. C. Manganello, R. S. Skinner, M. T. Skubiak, and D. J. Wadsworth — 2817

Service Programs — M. E. Barton, N. M. Haller, and G. W. Ricker — 2865

November

Coupled Wave Theory for Thick Hologram Gratings — H. Kogelnik — 2909

Statistics on Attenuation of Microwaves by Intense Rain — D. C. Hogg — 2949

Work-Scheduling Algorithms: A Nonprobabilistic Queuing Study (with Possible Application to No. 1 ESS) — J. B. Kruskal — 2963

Some Properties of a Nonlinear Model of a System for Synchronizing Digital Transmission Networks — I. W. Sandberg — 2975

Overflow Oscillations in Digital Filters — P. M. Ebert, J. E. Mazo, and M. G. Taylor — 2999

Rate Optimization for Digital Frequency Modulation — J. E. Mazo, H. E. Rowe, and J. Salz — 3021

Power Spectrum of Hard-Limited Gaussian Processes — H. M. Hall — 3031

Rate-Distortion Functions for Gaussian Markov Processes — B. J. Bunin — 3059

The Optimum Linear Modulator for a Gaussian Source Used with a Gaussian Channel — R. J. Pilc — 3075

Communication Systems Which Minimize Coding Noise — B. McMillan — 3091

The Equivalence of Certain Harper Codes — M. M. Buchner, Jr. — 3113

Brief: Solving Nonlinear Network Equations Using Optimization Techniques — A. Gersho — 3135

December

On Communication of Analog Data From a Bounded Source Space — A. D. Wyner and J. Ziv — 3139

On Digital Communication Over a Discrete-Time Gaussian Channel with Noisy Feedback — A. D. Wyner — 3173

Mode Conversion Caused by Surface Imperfections of a Dielectric Slab Waveguide — D. Marcuse — 3187

Mode Conversion Caused by Diameter Changes of a Round Dielectric Waveguide — D. Marcuse and R. M. Derosier — 3217

Radiation Losses of Dielectric Waveguides in Terms of the Power Spectrum of the Wall Distortion Function — D. Marcuse — 3233

Amplitude Distributions of Telephone Channel Noise and a Model for Impulse Noise — J. H. Fennick — 3243

The Determinability of Classes of Noisy Channels — L. J. Forys — 3265

The Theory of Cylindrical Magnetic Domains — A. A. Thiele — 3287

Physical and Transmission Characteristics of Customer Loop Plant — P. A. Gresh — 3337

Radio-Relay Antenna Pointing for Controlled Interference with Geostationary Satellites — C. W. Lundgren and A. S. May — 3387

An Extended Correlation Function of Two Random Variables Applied to Mobile Radio Transmission — W. C.-Y. Lee — 3423

Brief: Sputtered Glass Waveguide for Integrated Optical Circuits — J. E. Goell and R. D. Standley — 3445